



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 7, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.												
Dunkirk, N. Y.		2										1
Harrison, N. J.	14,498	3										1
Homestead, Pa.	18,710	7			1							
La Fayette, Ind.	20,081	6									2	1
Lebanon, Pa.	19,240	23	2	1					20		1	
Marinette, Wis.	14,610	4										
Marlboro, Mass.	14,579	1	1	1								
Massillon, Ohio	23,870	1									1	
Medford, Mass.	23,150	7					1		1	2		
Melrose, Mass.	16,715	1										
Moline, Ill.	24,199	4	2						1			1
Montclair, N. J.	21,150	9							1			
Nanticoke, Pa.	18,857	4										
Newburyport, Mass.	19,240	6										1
North Adams, Mass.	22,019	9										
Northampton, Mass.	19,431	5										
Ottumwa, Iowa.	22,012	12					2				1	
Palmer, Mass.		2										
Plainfield, N. J.	22,550	5										
Saratoga Springs, N. Y.		1										
Steelton, Pa.	14,246	1										
South Bethlehem, Pa.		4	1									
Wilksburg, Pa.	18,924	6			1				1			
Woburn, Mass.	15,308	4	1								1	1

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

CONNECTICUT.—Month of August 1912. Population of reporting towns, 1,149,019. Total number of deaths from all causes 1,426, including diphtheria 11, measles 2, scarlet fever 3, tuberculosis, pulmonary, 98, typhoid fever 13. Cases reported: Diphtheria 81 in 26 towns, measles 50 in 18 towns, scarlet fever 45 in 17 towns, smallpox 1, in Naugatuck, tuberculosis 108 in 33 towns, typhoid fever 158 in 35 towns.

KANSAS.—Month of July, 1912. Population 1,690,949. Total number of deaths from all causes not reported. The deaths include diphtheria 1, scarlet fever 1, typhoid fever 9. Cases reported: Diphtheria 20, measles 71, scarlet fever 67, smallpox 13, typhoid fever 119.

MICHIGAN.—Month of June, 1912. Population 2,810,173. Total number of deaths from all causes 2,818, including diphtheria 35, measles 9, scarlet fever 6, tuberculosis 189, typhoid fever 41.

Month of August, 1912. Cases of communicable diseases reported: Diphtheria 134, measles 44, scarlet fever 139, smallpox 9, tuberculosis 147, typhoid fever 217.

MINNESOTA.—Month of June, 1912. Population, 2,075,708. Total number of deaths from all causes, 1,511, including diphtheria 16, measles 2, scarlet fever 11, tuberculosis 179, typhoid fever 20.

NEW YORK.—Month of July, 1912. Population, 9,113,614. Total number of deaths from all causes, 11,347, including diphtheria 99, measles 95, scarlet fever 42, tuberculosis 1,202, typhoid fever, 79. Cases reported: Diphtheria, 270; measles, 3,576; scarlet fever, 745; smallpox, 33; tuberculosis, pulmonary or laryngeal, 2,607; typhoid fever, 511.

PENNSYLVANIA.—Population, 7,665, 111.

Mortality.—Month of June, 1912. Total number of deaths, 7,639. Typhoid fever, 64; scarlet fever, 45; diphtheria, 91; measles, 91; whooping cough, 77; influenza, 23; malaria, 1; tuberculosis of lungs, 660; tuberculosis of other organs, 108; cancer, 419; diabetes, 60; meningitis, 43; acute anterior poliomyelitis, 10; pneumonia, 570; diarrhea and enteritis, under 2 years, 329; diarrhea and enteritis, over 2 years, 73; Bright's disease, 481; early infancy, 511; suicide, 79; accidents in mines, 86; railway injuries, 105; other forms of violence, 448; all other diseases, 3,265.

Morbidity.—Month of July, 1912. Total number of cases of communicable diseases reported, 7,459, including anterior poliomyelitis 21, anthrax 1, cerebrospinal meningitis 13, chickenpox 216, diphtheria 698, epidemic dysentery 1, erysipelas 63, German measles 27, malarial fever 10, measles 2,777, mumps 170, pneumonia 165, puerperal fever 2, scarlet fever 483, smallpox 8, tetanus 12, trachoma 5, tuberculosis 1,206, typhoid fever 661, whooping cough 920.